Contents

Number 1 July 1995

1 **Isolation of a flax (*Linum usitatissimum*) gene induced during susceptible infection by flax rust (*Melampsora lini*).** *J.K. Roberts and A. Pryor*

9 **Early cytological events after induction of cell division in egg cells and zygote development following *in vitro* fertilization with angiosperm gametes.** *E. Kranz, P. von Wiegen and H. Lörz*

25 **Twin autonomous bipartite nuclear localization signals direct nuclear import of GT-2.** *K. Dehesh, L.G. Smith, J.M. Tepperman and P.H. Quail*

37 **An *Arabidopsis thaliana* root-specific kinase homolog is induced by dehydration, ABA, and NaCl.** *I. Hwang and H.M. Goodman*

45 **Somatic and germinal activities of maize *Activator* (*Ac*) transposase mutants in transgenic tobacco.** *R. Kunze, S. Kühn, J.D.G. Jones and S.R. Scofield*

55 **Functional dissection of the promoter of the pollen-specific gene *NTP303* reveals a novel pollen-specific, and conserved *cis*-regulatory element.** *K. Weterings, J. Schrauwen, G. Wullems and D. Twell*

65 **Developmental regulation of ribosomal protein L16 genes in *Arabidopsis thaliana*.** *M.E. Williams and I.M. Sussex*

77 **Basic plasticity of protein expression in tobacco leaf plasma membrane.** *F. Masson and M. Rossignol*

87 **A polymorphic bipartite motif signals nuclear targeting of early auxin-inducible proteins related to PS-IAA4 from pea (*Pisum sativum*).** *S. Abel and A. Theologis*

97 **Enhanced quantitative resistance against fungal disease by combinatorial expression of different barley antifungal proteins in transgenic tobacco.** *G. Jach, B. Görnhardt, J. Mundy, J. Logemann, E. Pinsdorf, R. Leah, J. Schell and C. Maas*

111 **Early nodulin gene expression during Nod factor-induced processes in *Vicia sativa*.** *I. Vijn, F. Martinez-Abarca, W.-C. Yang, L. das Neves, A. van Brussel, A. van Kammen and T. Bisseling*

121 **Engineered oryzacystatin-I expressed in transgenic hairy roots confers resistance to *Globodera pallida*.** *P.E. Urwin, H.J. Atkinson, D.A. Waller and M.J. McPherson*

133 SHORT COMMUNICATION
Thioredoxin activity in the C terminus of *Phalaris* S protein. *X. Li, J. Nield, D. Hayman and P. Langridge*

139 SHORT COMMUNICATION
Germin-like oxalate oxidase, a H_2O_2-producing enzyme, accumulates in barley attacked by the powdery mildew fungus. *Z. Zhang, D.B. Collinge and H. Thordal-Christensen*

147 SHORT COMMUNICATION
Characterization of a gene transcribed in the L2 and L3 layers of the tobacco shoot apical meristem. *A.J. Kelly and D.R. Meeks-Wagner*

155 TECHNICAL ADVANCE
Non-destructive detection of firefly luciferase (LUC) activity in single plant cells using a cooled, slow-scan CCD camera and an optimized assay. *B. Kost, M. Schnorf, I. Potrykus and G. Neuhaus*

Number 2 August 1995

167 **Simultaneous targeting of pea glutathione reductase and of a bacterial fusion protein to chloroplasts and mitochondria in transgenic tobacco.** *G. Creissen, H. Reynolds, Y. Xue and P. Mullineaux*

177 **Heat-inducible expression of *FLP* gene in maize cells.** *L.A. Lyznik, L. Hirayama, K.V. Rao, A. Abad and T.K. Hodges*

187 **Evidence for K^+ channel control in *Vicia* guard cells coupled by G-proteins to a 7TMS receptor mimetic.** *F. Armstrong and M.R. Blatt*

199 **Isolation of two soybean G-box binding factors which interact with a G-box sequence of an auxin-responsive gene.** *J.C. Hong, Y.H. Cheong, R.T. Nagao, J.D. Bahk, J.L. Key and M.J. Cho*

213 ***In vitro* synthesis of a microfibrillar (1→3)-β-glucan by a ryegrass (*Lolium multiflorum*) endosperm (1→3)-β-glucan synthase enriched by product entrapment.** *V. Bulone, G.B. Fincher and B.A. Stone*

227 **Is hydrogen peroxide a second messenger of salicylic acid in systemic acquired resistance?** *U. Neuenschwander, B. Vernooij, L. Friedrich, S. Uknes, H. Kessmann and J. Ryals*

235 **Hydrogen peroxide does not function downstream of salicylic acid in the induction of PR protein expression.** *Y.-M. Bi, P. Kenton, L. Mur, R. Darby and J. Draper*

247 **Oxidative stress responses in transgenic tobacco containing altered levels of glutathione reductase activity.** *P. Broadbent, G.P. Creissen, B. Kular, A.R. Wellburn and P.M. Mullineaux*

257 **Multiple phosphoinositide-specific phospholipases C in oat roots: characterization and partial purification.** *C.-H. Huang, B.F. Tate, R.C. Crain and G.G. Coté*

269 **Molecular cloning of cDNAs encoding the protein backbones of arabinogalactan-proteins from the filtrate of suspension-cultured cells of *Pyrus communis* and *Nicotiana alata*.** *S.-L. Mau, C.-G. Chen, Z.-Y. Pu, R.L. Moritz, R.J. Simpson, A. Bacic and A.E. Clarke*

283 **Biochemical and molecular characterization of a novel starch synthase from potato tubers.** *A. Edwards, J. Marshall, C. Sidebottom, R.G.F. Visser, A.M. Smith and C. Martin*

295 SHORT COMMUNICATION
***In vitro* transcription of plant RNA polymerase I-dependent rRNA genes is species-specific.** *H. Fan, K. Yakura, M. Miyanishi, M. Sugita and M. Sugiura*

299 SHORT COMMUNICATION
Recombinant stigmatic self-incompatibility (S-) protein elicits a Ca^{2+} transient in pollen of *Papaver rhoeas*. *V.E. Franklin-Tong, J.P. Ride and F.C.H. Franklin*

309 SHORT COMMUNICATION
Early fertilization events in the sexual and aposporous egg apparatus of *Pennisetum ciliare* (L.) Link. *J.-Ph. Vielle, B.L. Burson, E.C. Bashaw and M.A. Hussey*

317 TECHNICAL ADVANCE
Specific distribution of mRNAs in maize growing pollen tubes observed by whole-mount *in situ* hybridization with non-radioactive probes. *M.-A. Torres, J. Rigau, P. Puigdomènech and V. Stiefel*

Number 3 September 1995

323 MINI-REVIEW
The formation of mRNA 3′-ends in plants. *L. Wu, T. Ueda and J. Messing*

331 **PvAlf, an embryo-specific acidic transcriptional activator enhances gene expression from phaseolin and phytohemagglutinin promoters.** *A.J. Bobb, H.G. Eiben and M.M. Bustos*

345 **Alfalfa NADH-dependent glutamate synthase: structure of the gene and importance in symbiotic N_2 fixation.** *C.P. Vance, S.S. Miller, R.G. Gregerson, D.A. Samac, D.L. Robinson and J.S. Gantt*

359 **Determinants of the high-methionine trait in wild and exotic germplasm may have escaped selection during early cultivation of maize.** *S. Swarup, M.C.P. Timmermans, S. Chaudhuri and J. Messing*

369 **Isolation of *Arabidopsis* mutants altered in the light-regulation of chalcone synthase gene expression using a transgenic screening approach.** *J.A. Jackson, G. Fuglevand, B.A. Brown, M.J. Shaw and G.I. Jenkins*

381 **Characterization of a plasma membrane-associated phosphoinositide-specific phospholipase C from soybean.** *J. Shi, R.A. Gonzales and M.K. Bhattacharyya*

391 **Expression of an amino acid biosynthesis gene in tomato flowers: developmental upregulation and MeJa response are parenchyma-specific and mutually compatible.** *A. Samach, L. Broday, D. Hareven and E. Lifschitz*

407 **An *Arabidopsis* mutant deficient in sterol biosynthesis: heterologous complementation by *ERG 3* encoding a Δ^7-sterol-C-5-desaturase from yeast.** *D. Gachotte, R. Meens and P. Benveniste*

417 **Metabolism of cyclic carotenoids: a model for the alteration of this biosynthetic pathway in *Capsicum annuum* chromoplasts.** *P. Hugueney, A. Badillo, H.-C. Chen, A. Klein, J. Hirschberg, B. Camara and M. Kuntz*

425 **Metabolism of 3- and 4-phosphorylated phosphatidylinositols in stomatal guard cells of *Commelina communis* L.** *P.N. Parmar and C.A. Brearley*

435 SHORT COMMUNICATION
Alternative splicing results in two different transcripts for H-protein of the glycine cleavage system in the C_4 species *Flaveria trinervia*. *S. Kopriva, R. Cossu and H. Bauwe*

443 SHORT COMMUNICATION
Induction of ferritin synthesis in maize leaves by an iron-mediated oxidative stress. *S. Lobréaux, S. Thoiron and J.-F. Briat*

451 SHORT COMMUNICATION
Organ-specific differences in the ratio of alternatively spliced chorismate synthase (*LeCS2*) transcripts in tomato. *J. Görlach, H.-R. Raesecke, G. Abel, R. Wehrli, N. Amrhein and J. Schmid*

457 TECHNICAL ADVANCE
Efficient isolation and mapping of *Arabidopsis thaliana* T-DNA insert junctions by thermal asymmetric interlaced PCR. *Y.-G. Liu, N. Mitsukawa, T. Oosumi and R.F. Whittier*

Number 4 October 1995

465 **Altered lignin composition in transgenic tobacco expressing O-methyltransferase sequences in sense and antisense orientation.** *R. Atanassova, N. Favet, F. Martz, B. Chabbert, M.-T. Tollier, B. Monties, B. Fritig and M. Legrand*

479 **Effects of cytosolic calcium and limited, possible dual, effects of G protein modulators on guard cell inward potassium channels.** *W.B. Kelly, J.E. Esser and J.I. Schroeder*

491 ***In vitro* assembly of cellulose/xyloglucan networks: ultrastructural and molecular aspects.** *S.E.C. Whitney, J.E. Brigham, A.H. Darke, J.S.G. Reid and M.J. Gidley*

505 **Morphogenesis in *pinoid* mutants of *Arabidopsis thaliana*.** *S.R.M. Bennett, J. Alvarez, G. Bossinger and D.R. Smyth*

521 **Subunit E of the vacuolar H^+-ATPase of *Hordeum vulgare* L.: cDNA cloning, expression and immunological analysis.** *K.-J. Dietz, S. Rudloff, A. Argeorges, C. Eckerskorn, K. Fischer and B. Arbinger*

531 **The distribution of a spliceosome protein in cereal (Triticeae) interphase nuclei from cells with different metabolic activities and through the cell cycle.** *M.C.P. Glyn and A.R. Leitch*

541 **The use of an alternative promoter in the *Arabidopsis thaliana HMG1* gene generates an mRNA that encodes a novel 3-hydroxy-3-methylglutaryl coenzyme A reductase isoform with an extended N-terminal region.** *V. Lumbreras, N. Campos and A. Boronat*

551 **A new elicitor of the hypersensitive response in tobacco: a fungal glycoprotein elicits cell death, expression of defence genes, production of salicylic acid, and induction of systemic acquired resistance.** *F. Baillieul, I. Genetet, M. Kopp, P. Saindrenan, B. Fritig and S. Kauffmann*

561 **The *AXR1* and *AUX1* genes of *Arabidopsis* function in separate auxin-response pathways.** *C. Timpte, C. Lincoln, F.B. Pickett, J. Turner and M. Estelle*

571 **Maternal-specific demethylation and expression of specific alleles of zein genes in the endosperm of *Zea mays* L.** *G. Lund, P. Ciceri and A. Viotti*

583 **Immunolocalization of freezing-tolerance-associated proteins in the cytoplasm and nucleoplasm of wheat crown tissues.** *M. Houde, C. Daniel, M. Lachapelle, F. Allard, S. Laliberté and F. Sarhan*

595 **Ethylene regulates the timing of leaf senescence in *Arabidopsis*.** *V. Grbić and A.B. Bleecker*

603 **Derepression of the activity of genetically engineered heat shock factor causes constitutive synthesis of heat shock proteins and increased thermotolerance in transgenic *Arabidopsis*.** *J.H. Lee, A. Hübel and F. Schöffl*

613 TECHNICAL ADVANCE
Sequence-based identification of T-DNA insertion mutations in *Arabidopsis*: actin mutants *act2–1* and *act4–1*. *E.C. McKinney, N. Ali, A. Traut, K.A. Feldmann, D.A. Belostotsky, J.M. McDowell and R.B. Meagher*

Number 5 November 1995

623 **Cellular localization of the Ca^{2+} binding TCH3 protein of *Arabidopsis*.** *D.M. Antosiewicz, D.H. Polisensky and J. Braam*

637 **FLP recombinase in transgenic plants: constitutive activity in stably transformed tobacco and generation of marked cell clones in *Arabidopsis*.** *N.J. Kilby, G.J. Davies, M.R. Snaith and J.A.H. Murray*

653 **Mutations throughout an *Arabidopsis* blue-light photoreceptor impair blue-light-responsive anthocyanin accumulation and inhibition of hypocotyl elongation.** *M. Ahmad, C. Lin and A.R. Cashmore*

659 **Analysis of *Arabidopsis* mutants deficient in flavonoid biosynthesis.** *B.W. Shirley, W.L. Kubasek, G. Storz, E. Bruggemann, M. Koornneef, F.M. Ausubel and H.M. Goodman*

673 **MYB.Ph3 transcription factor from *Petunia hybrida* induces similar DNA-bending/distortions on its two types of binding site.** *R. Solano, C. Nieto and J. Paz-Ares*

683 **The minimal ribosomal RNA gene promoter of *Arabidopsis thaliana* includes a critical element at the transcription initiation site.** *J.H. Doelling and C.S. Pikaard*

693 **Constitutive expression of a fruit phytoene synthase gene in transgenic tomatoes causes dwarfism by redirecting metabolites from the gibberellin pathway.** *R.G. Fray, A. Wallace, P.D. Fraser, D. Valero, P. Hedden, P.M. Bramley and D. Grierson*

703 **Identification of genes required for pollen-stigma recognition in *Arabidopsis thaliana*.** *M. Hülskamp, S.D. Kopczak, T.F. Horejsi, B.K. Kihl and R.E. Pruitt*

715 SHORT COMMUNICATION
Multiple serine phosphorylation sites on the 30 kDa TMV cell-to-cell movement protein synthesized in tobacco protoplasts. *A. Haley, T. Hunter, P. Kiberstis and D. Zimmern*

725 SHORT COMMUNICATION
Specification of chimeric flowering shoots in wild-type *Arabidopsis*. *F.D. Hempel and L.J. Feldman*

733 SHORT COMMUNICATION
A dinucleotide mutation in dihydrodipicolinate synthase of *Nicotiana sylvestris* leads to lysine overproduction. *M. Ghislain, V. Frankard and M. Jacobs*

745 SHORT COMMUNICATION
Expression of a single-chain Fv antibody against abscisic acid creates a wilty phenotype in transgenic tobacco. *O. Artsaenko, M. Peisker, U. zur Nieden, U. Fiedler, E.W. Weiler, K. Müntz and U. Conrad*

751 SHORT COMMUNICATION
Molybdenum co-factor biosynthesis: the *Arabidopsis thaliana* cDNA *cnx1* encodes a multifunctional two-domain protein homologous to a mammalian neuroprotein, the insect protein Cinnamon and three *Escherichia coli* proteins. *B. Stallmeyer, A. Nerlich, J. Schiemann, H. Brinkmann and R.R. Mendel*

763 TECHNICAL ADVANCE
The CIC library: a large insert YAC library for genome mapping in *Arabidopsis thaliana*. *F. Creusot, E. Fouilloux, M. Dron, J. Lafleuriel, G. Picard, A. Billault, D. Le Paslier, D. Cohen, M.-E. Chabouté, A. Durr, J. Fleck, C. Gigot, C. Camilleri, C. Bellini, M. Caboche and D. Bouchez*

771 TECHNICAL ADVANCE
Construction of an equalized cDNA library from *Arabidopsis thaliana*. *T. Kohchi, K. Fujishige and K. Ohyama*

777 TECHNICAL ADVANCE
Green-fluorescent protein as a new vital marker in plant cells. *J. Sheen, S. Hwang, Y. Niwa, H. Kobayashi and D.W. Galbraith*

785 TECHNICAL ADVANCE
Identification of amplified restriction fragment polymorphism (AFLP) markers tightly linked to the tomato *Cf-9* gene for resistance to *Cladosporium fulvum*. *C.M. Thomas, P. Vos, M. Zabeau, D.A. Jones, K.A. Norcott, B.P. Chadwick and J.D.G. Jones*

Number 6 December 1995

795 **Expansins in growing tomato leaves.** *E. Keller and D.J. Cosgrove*

803 **Oleoyl-CoA is not an immediate substrate for fatty acid elongation in developing seeds of *Brassica napus*.** *A. Hlousek-Radojcic, H. Imai and J.G. Jaworski*

811 **Inward and outward K^+-selective currents in the plasma membrane of protoplasts from maize root cortex and stele.** *S.K. Roberts and M. Tester*

827 **The *S* locus receptor kinase gene encodes a soluble glycoprotein corresponding to the SRK extracellular domain in *Brassica oleracea*.** *J.-L. Giranton, M.J. Ariza, C. Dumas, J.M. Cock and T. Gaude*

835 **A microtubule-associated protein in maize is expressed during phytochrome-induced cell elongation.** *P. Nick, A.-M. Lambert and M. Vantard*

845 **A characterization of the MADS-box gene family in maize.** *M. Mena, M.A. Mandel, D.R. Lerner, M.F. Yanofsky and R.J. Schmidt*

855 **A novel lignin in poplar trees with a reduced caffeic acid/5-hydroxyferulic acid *O*-methyltransferase activity.** *J. Van Doorsselaere, M. Baucher, E. Chognot, B. Chabbert, M.-T. Tollier, M. Petit-Conil, J.-C. Leplé, G. Pilate, D. Cornu, B. Monties, M. Van Montagu, D. Inzé, W. Boerjan and L. Jouanin*

865 **Gene activation by UV light, fungal elicitor or fungal infection in *Petroselinum crispum* is correlated with repression of cell cycle-related genes.** *E. Logemann, S.-C. Wu, J. Schröder, E. Schmelzer, I.E. Somssich and K. Hahlbrock*

877 ***O*-glycosylation of a precursor to a sweet potato vacuolar protein, sporamin, expressed in tobacco cells.** *K. Matsuoka, N. Watanabe and K. Nakamura*

891 **Dynamic changes in cell surface molecules are very early events in the differentiation of mesophyll cells from *Zinnia elegans* into tracheary elements.** *N.J. Stacey, K. Roberts, N.C. Carpita, B. Wells and M.C. McCann*

907 **Transposon tagging of the maize *Glossy2* locus with the transposable element *En/Spm*.** *E. Tacke, C. Korfhage, D. Michel, M. Maddaloni, M. Motto, S. Lanzini, F. Salamini and H.-P. Döring*

919 **A repetitive DNA fragment carrying a hot spot for *de novo* DNA methylation enhances expression variegation in tobacco and petunia.** *M. ten Lohuis, A. Müller, I. Heidmann, I. Niedenhof and P. Meyer*

933 **The coat protein of potato virus X is a strain-specific elicitor of *Rx*1-mediated virus resistance in potato.** *A. Bendahmane, B.A. Köhm, C. Dedi and D.C. Baulcombe*

943 SHORT COMMUNICATION
Ethylene is a positive regulator of root hair development in *Arabidopsis thaliana*. *M. Tanimoto, K. Roberts and L. Dolan*

949 SHORT COMMUNICATION
Tobacco mitotic cyclins: cloning, characterization, gene expression and functional assay. *Y.Y. Setiady, M. Sekine, N. Hariguchi, T. Yamamoto, H. Kouchi and A. Shinmyo*

959 SHORT COMMUNICATION
Multiple regulatory sites in the C-terminal autoinhibitory domain of the plasma membrane H^+-ATPase. *A. Olsson, F. Johansson, M. Sommarin and C. Larsson*

963 SHORT COMMUNICATION
Isolation of two novel *myb*-like genes from *Arabidopsis* and studies on the DNA-binding properties of their products. *S.F. Li and R.W. Parish*

973 **Author index**

979 **Subject index**